

# Thermo Trace®

## Infrared Thermometer w/Laser



Model 15030

- Lightweight, sleek and compact
- Instant non-contact surface temperature measurement
- Useful with moving objects or for hard to reach places
- Highly accurate when compared to competitive models

Field of View	D:S = 8:1 At D = 1 meter (39.4 in.), S = 125 mm (4.9 in.)
Temperature Range	-40°F to 590°F (-40°C to 310°C)
Accuracy	±3.6°F (±2°C) from 32°F to 590°F (0°C to 310°C) otherwise 2% of reading.
Display Resolution	0.1° from -40° to 212° (F or C), otherwise 1°
Response Time	Less than 1 second
Sighting Method	Off-set Laser
Hold Time	6 seconds
Environmental Operating Range	14°F to 122°F (-10°C to 50°C), 0 to 95% R.H. w/o condensation
Scale	°F/°C selectable
Repeatability	±2°F (1°C) of reading value
Battery	9v alkaline (90 hour life)
Emissivity	.95 fixed
Size	6 in.(L) x 1.5 in.(W) x 1.5 in.(D) (153mm x 38mm x 39mm)
Weight	4.5 oz. (127g) including battery
Body Casing	Polycarbonate and ABS plastics
Certification	CE Mark, N.I.S.T. traceable



09/22/04